
5.1 Suggestion for Authorisation Mode Settings

"CBS Online" has two authorisation modes for customer's choice: "Standard Authorisation Mode" and "Advanced Authorisation Mode". Customer can choose the suitable mode with reference to the following guide:



Customer can choose one of the authorisation modes that suits his / her business needs. The default authorisation mode is "Standard Authorisation Mode".

	Cash Management	Trade Services	Credit Card	Insurance Investment	MPF	Authorisation Centre Dow	wnload Centre	Management	Tools	
	Activity Aut Record	horisalion Mode Settings	User Settings	Authorisation Matrix Settings		Beneficiary Account List Authorisation Settings		Holder's counts	Change Password	Other Settings
teps <mark>1</mark> ▶ 2 ▶ 3		n Mode Settings				lange Print	Help 🗐	Service Director	ry 🕀 Add to N	ly Shortcut
User and Accor										-
-						s, and up to 5 authorisation r				
 Advanced Auth 	iorisation Settings (a	supports 3-level au	thorisation, a r	maximum of 12 autoonsa	mon g	roups, and up to 8 authorisat	tion matrices. A	utnorisation in	order is supporte	ia.)

The major differences between the two modes are as follows:

	Standard Authorisation Mode	Advanced Authorisation Mode		
Authorisation Group	Each user can only belong to one Authorisation Group	Under different types of account, each user can belong to a different Authorisation Group		
Authorisation control	Supports a maximum of Dual Authorisation	Supports a maximum of 3-level Authorisation		
Authorisation in order	Does not support	Supports		
Check function	Does not support	Supports a maximum of two-time checks		
Authorisation Matrices	Supports a maximum of five levels of amount; each level can be assigned with one Authorisation Group combination	Supports a maximum of eight levels of amount; each level can be assigned with four Authorisation Group combinations		

Terminology Explanation:

Single Authorisation	 after creating a transaction, authorisation from one user is required to complete the transaction
Dual Authorisation	 after creating a transaction, authorisation from two users is required to complete the transaction
3-level Authorisation	 after creating a transaction, authorisation from three users is required to complete the transaction
Authorisation in order	 authorisation of transaction must follow the pre-set order of Authorisation Groups
Non-ordered Authorisation	 authorisation of transaction is not restricted by the order of Authorisation Groups

At "CBS Online", the name of an Authorisation Group does not reflect whether its authorisation amount is high or low, i.e. the authorisation amount of Group A is not necessarily higher than that of Group B, and vice versa.

Example:

• A>B>C>.....>L

• L>K>J>.....>A

However, if one Authorisation Group combination (e.g. A+A) is a subset of another Authorisation Group combination (e.g. A+A+B), the latter (A+A+B) must have a greater authorisation amount than the former (A+A).

Example:

- A+B > A
- A+B > B
- A+A > A
- A+A+B > A+A
- A+A+B > A+B



5.2 Standard Authorisation Mode

Supports a maximum of Dual Authorisation, two Authorisation Groups and five Authorisation Matrices

Under this mode, customer can set whether Single Authorisation or Dual Authorisation for transaction, and classifies users into Group A, Group B or non group at all. If a user does not belong to any group, he / she will not have authorisation rights. Each bank account allows a maximum of five Authorisation Matrices under each type of transaction.

Example:

Authorisation Setting	js				•
1) Transfer Transac	tion				
To Holder's Account					
		Au	thorisation Limit of Each Group	(HKD)	
 Apply authorisation settings to all accounts 	A	B	A+A	A+B	8+8
Account Number Account Name 043-472-0-045673-1 ACCOUNT 1	A 1000	B 2000	A+A 3000	A+B	B+B

In this example:

Range of Authorisation Amount()	Authorisation Group Combinations
0 - 1,000	А
0 - 2,000	В
0 - 3,000	A + A
0 - 4,000	A + B
0 - 5,000	B + B

5.3 Advanced Authorisation Mode



Supports a maximum of 3-level Authorisation, twelve Authorisation Groups and eight Authorisation Matrices, as well as Authorisation in order and checks

Under this mode, customer can set whether Single Authorisation, Dual Authorisation or 3-level Authorisation for transaction, and classifies users into a maximum of twelve Authorisation Groups, i.e. Group A - L, or non group. Same as the "Standard Authorisation Mode", if a user does not belong to any group under "Advanced Authorisation Mode", he / she will not have authorisation rights. Each bank account allows a maximum of eight Authorisation Matrices under each type of transaction.

Example:

Authorisation in on	der										
1) Transfer Trans	saction										
Number of Checks	Supporte	d Please Se	elect 🔽								
			Authorisation Holder's Acco	unt		Authorisation Beneficiary		to Non-list	Authorisation ed Benefician	/ Accounts	
Cap Amount (HKD)		1st	2nd	3rd	1st	2nd	3rd	1st	2nd	3rd	
1000	or	A 🗸	A 🗸 B 🗸	A 🗸	🗸	¥	💙	~	¥	*	Add
2000		в 🗸	в 🗸	8 🗸	🗸	¥	🗸	🗸	🗸	*	
	or	8 🗸	С 🗸	8 🗸	~	~	~	🗸	~	*	Add
3000		C 🗸	C 🗸	C 🗸	💙	¥	💙	💙	💙	💙	Add
	or	C V	D 🕶	C V	💌	¥	💙	💙	¥	💙	Add
4000		D 🗸	D 🛩	D 🛩	🗸	*	🗸	🗸	~	*	
	or	DV	Ε 🗸	D	🗸	•	🗸	🗸	🗸	🗸	Add
5000		E 🗸	Ε 🛩	Е 🗸	🗸	¥	🗸	🗸	🗸	¥	
	or	E 🗸	F 🗸	E 🗸	🗸	¥	🗸	💌	¥	¥	Add
6000		F 🗸	F 🛩	F 🛩	🗸	*	💙	💙	🗸	*	
	or	F 🗸	G 🗸	F 🛩	🗸	··· ¥	🗸	🕶	~~ ¥	¥	Add
7000		G 🗸	G 🗸	G 🗸	🗸	*	🗸	🗸	🗸	🗸	
	or	G 🔽	н 💌	G 💌	🗸	¥	🗸	🗸	🗸	•	Add
8000		Н 🕶	Н 🕶	н 🗸	💙	¥	💙	💙	~	¥	
	or	Н 🗸	1 ~	н 🗸	🗸	*	🗸	🗸	···· v	*	Add

Authorisation in order

If a customer chooses "Authorisation in order", the authorisation of all transactions must follow the pre-set order of Authorisation Groups. As demonstrated in the above example, transfer transaction of HK\$8,000 or less into holder's account shall be authorised by three H group users or authorised in the order of H group \rightarrow I group \rightarrow H group.

In this example:

Range of Authorisation Amount (HK\$)	Authorisation Group Combinations
0 - 1,000	A+A+A or A+B+A
0 - 2,000	B+B+B or B+C+B
0 - 3,000	C+C+C or C+D+C
0 - 4,000	D+D+D or D+E+D
0 - 5,000	E+E+E or E+F+E
0 - 6,000	F+F+F or F+G+F
0 - 7,000	G+G+G or G+H+G
0 - 8,000	H+H+H or H+I+H

Check function

If a customer chooses "Number of Checks Supported" and selects "2" in the drop down list, that kind of transactions require dual checks before authorisation (in no particular order).

Authorisation of transactions

Users are required to perform different modes of two-factor authentication in order to conduct "General Transactions" and "Designated Transactions" online:

User	Role General Transaction		Designated Transaction		
Maker	Responsible for creating transactions, and "Amend" / "Delete" transactions returned by Checker or Authoriser. If the transaction is not yet checked or authorised by other users, maker can still "Amend" the transaction.	Login by using an e-Cert Storage Device Password / a one-time password generated by "Security Device"			
Checker	Responsible for checking transactions, ensuring transaction details are correct, and "Delete" / "Return" transactions to Maker				
Authoriser	Responsible for the execution of authorising transactions, and "Delete" / "Return" transactions to Maker	Authorise the transactions by e-Cert Storage Device Password / one-time Security Code generated by "Security Device"	Authorise the transactions by e-Cert Storage Device Password / one-time Transaction Confirmation Code generated by "Security Device"		